New measurement of the ^{242}Pu(n,γ) cross section at n_TOF-EAR1 for MOX fuels: preliminary results in the RRR

J. Lerendegui-Marco[1,*], C. Guerrero[1], M. A. Cortés-Giraldo[1], J. M. Quesada[1], E. Mendoza[2], D. Cano-Ott[2], K. Eberhardt[3], A. Junghans[4], O. Aberle[5], J. Andrzejewski[6], L. Audouin[7], M. Bacak[8,5,9], J. Balibrea[6], M. Barbagallo[10], F. Bečvář[11], E. Berthoumieux[9], J. Billowes[12], D. Bosnar[13], A. Brown[14], M. Caamaño[15], F. Calviño[16], M. Calviani[5], R. Cardella[5], A. Casanovas[16], F. Cerutti[5], Y. H. Chen[7], E. Chiaveri[5,12,14], N. Colonna[10], G. Cortés[16], L. Cosentino[17], L. A. Damone[10,18], M. Diakaki[9], C. Domingo-Pardo[19], R. Dressler[20], E. Dupont[9], I. Durán[15], B. Fernández-Domínguez[15], A. Ferrari[5], P. Ferreira[21], P. Finocchiaro[17], K. Göbel[22], M. B. Gómez-Hornillos[16], A. R. García[6], A. Gawlik[6], S. Gilardoni[5], T. Glodariu[23], I. F. Gonçalves[21], E. González[6], E. Griesmayer[8], F. Gunsing[9,5], H. Harada[24], S. Heinitz[20], J. Heyse[25], D. G. Jenkins[14], E. Jericha[8], F. Käppeler[26], Y. Kadi[5], A. Kalamara[27], P. Kavrigin[8], A. Kimura[24], N. Kivel[20], M. Kokkoris[27], M. Krtička[11], D. Kurtulgil[22], E. Leal-Cidoncha[15], C. Lederer[28], H. Leeb[8], S. Lo Meo[29,30], S. J. Lonsdale[28], D. Macina[5], J. Marganiec[6,31], T. Martínez[6], A. Masi[5], C. Massimi[30,32], P. Mastinu[33], M. Mastromarco[10], E. A. Maugeri[20], A. Mazzone[10,34], A. Mengoni[29], P. M. Milazzo[35], F. Mingrone[5], A. Musumarra[17,36], A. Negret[23], R. Nolte[31], A. Oprea[23], N. Patronis[37], A. Pavlik[38], J. Perkowski[6], I. Porras[39], J. Praena[39], D. Radeck[31], T. Rauscher[40,41], R. Reifarth[22], P. C. Rout[42], C. Rubbia[5], J. A. Ryan[12], M. Sabaté-Gilarte[5,14], A. Saxena[42], P. Schillebeeckx[25], D. Schumann[20], A. G. Smith[12], N. V. Sosnin[12], A. Stamatopoulos[27], G. Tagliente[10], J. L. Tain[19], A. Tarifeño-Saldivia[16], L. Tassan-Got[7], S. Valenta[11], G. Vannini[30,32], V. Variale[10], P. Vaz[21], A. Ventura[30], V. Vlachoudis[5], R. Vlastou[27], A. Wallner[43], S. Warren[12], P. J. Woods[28], T. Wright[12], P. Žugec[13,5], and and the n_TOF Collaboration

[1] Universidad de Sevilla, Spain
[2] Centro de Investigaciones Energeticas Medioambientales y Tecnológicas (CIEMAT), Spain
[3] Johannes Gutenberg-Universität Mainz, 55128 Mainz, Germany
[4] Helmholtz-Zentrum Dresden-Rossendorf, D-01314 Dresden, Germany
[5] European Organization for Nuclear Research (CERN), Switzerland
[6] University of Lodz, Poland
[7] Institut de Physique Nucléaire, CNRS-IN2P3, Univ. Paris-Sud, Université Paris-Saclay, F-91406 Orsay Cedex, France
[8] Technische Universität Wien, Austria
[9] CEA Saclay, Irfu, Gif-sur-Yvette, France
[10] Istituto Nazionale di Fisica Nucleare, Sezione di Bari, Italy
[11] Charles University, Prague, Czech Republic
[12] University of Manchester, United Kingdom
[13] University of Zagreb, Croatia
[14] University of York, United Kingdom
[15] University of Santiago de Compostela, Spain
[16] Universitat Politècnica de Catalunya, Spain
[17] INFN Laboratori Nazionali del Sud, Catania, Italy
[18] Dipartimento di Fisica, Università degli Studi di Bari, Italy
[19] Instituto de Física Corpuscular, Universidad de Valencia, Spain
[20] Paul Scherrer Institut (PSI), Villingen, Switzerland
[21] Instituto Superior Técnico, Lisbon, Portugal
[22] Goethe University Frankfurt, Germany
[23] Horia Hulubei National Institute of Physics and Nuclear Engineering, Romania
[24] Japan Atomic Energy Agency (JAEA), Tokai-mura, Japan
[25] European Commission, Joint Research Centre, Geel, Retieseweg 111, B-2440 Geel, Belgium
[26] Karlsruhe Institute of Technology, Campus North, IKP, 76021 Karlsruhe, Germany
[27] National Technical University of Athens, Greece
[28] School of Physics and Astronomy, University of Edinburgh, United Kingdom
[29] Agenzia nazionale per le nuove tecnologie (ENEA), Bologna, Italy
[30] Istituto Nazionale di Fisica Nucleare, Sezione di Bologna, Italy
[31] Physikalisch-Technische Bundesanstalt (PTB), Bundesallee 100, 38116 Braunschweig, Germany
[32] Dipartimento di Fisica e Astronomia, Università di Bologna, Italy
[33] Istituto Nazionale di Fisica Nucleare, Sezione di Legnaro, Italy
[34] Consiglio Nazionale delle Ricerche, Bari, Italy

[35] *Istituto Nazionale di Fisica Nucleare, Sezione di Trieste, Italy*

[36] *Dipartimento di Fisica e Astronomia, Università di Catania, Italy*

[37] *University of Ioannina, Greece*

[38] *University of Vienna, Faculty of Physics, Vienna, Austria*

[39] *University of Granada, Spain*

[40] *Department of Physics, University of Basel, Switzerland*

[41] *Centre for Astrophysics Research, University of Hertfordshire, United Kingdom*

[42] *Bhabha Atomic Research Centre (BARC), India*

[43] *Australian National University, Canberra, Australia*

Abstract. The spent fuel of current nuclear reactors contains fissile plutonium isotopes that can be combined with ^{238}U to make mixed oxide (MOX) fuel. In this way the Pu from spent fuel is used in a new reactor cycle, contributing to the long-term sustainability of nuclear energy. The use of MOX fuels in thermal and fast reactors requires accurate capture and fission cross sections. For the particular case of ^{242}Pu, the previous neutron capture cross section measurements were made in the 70's, providing an uncertainty of about 35% in the keV region. In this context, the Nuclear Energy Agency recommends in its "High Priority Request List" and its report WPEC-26 that the capture cross section of ^{242}Pu should be measured with an accuracy of at least 7-12% in the neutron energy range between 500 eV and 500 keV. This work presents a brief description of the measurement performed at n_TOF-EAR1, the data reduction process and the first ToF capture measurement on this isotope in the last 40 years, providing preliminary individual resonance parameters beyond the current energy limits in the evaluations, as well as a preliminary set of average resonance parameters.

1 Introduction and motivation

The measurement of accurate capture and fission cross sections is essential for the design and operation of innovative nuclear systems aimed at the reduction of the nuclear waste [1]. The spent fuel from current nuclear reactors contains a significant fraction of plutonium, which can be separated from the fuel matrix and combined with depleted uranium (^{238}U) to make what is known as mixed oxide (*MOX*) fuel [2]. In this way the Pu from spent fuel and the depleted uranium, otherwise considered as waste, are used in a new reactor cycle, contributing therefore to the long-term sustainability of nuclear energy. Currently, the use of MOX fuel in thermal power reactors has been established in several countries. However, a much more efficient use of plutonium will ultimately be made in fast reactors, where multiple recycling is possible and has been demonstrated [2]. The extensive use of MOX fuels in fast reactors calls for a revision of the neutron cross sections that play a role in the neutronics of such reactors and are not known with enough accuracy yet. For the particular case of ^{242}Pu, both the uncertainties in the experimental data and the discrepancies in the average resonance parameters between the optical model calculations and the statistical analysis of s-wave resonances, call for a new measurement of the capture cross section. The reader is referred to Ref. [3] for a more detailed description of the motivations.

Following the suggestion of the NEA in its High Priority Request List [4], a new measurement of the ^{242}Pu cross section at the n_TOF facility was proposed and approved by the CERN ISOLDE and Neutron Time-of-Flight Committee (*INTC*) [5] and the experiment was succesfully performed in summer 2015. In the following section we briefly describe the n_TOF facility, the experimental setup and the ^{242}Pu target and in Section 3 the main features of the measuring technique and the steps involved in the data

reduction process. Last, the preliminary analysis in the Resolved Resonance Region is presented in Section 4.

2 Measurement at n_TOF-EAR1: detectors and ^{242}Pu sample

The pulsed neutron beam at n_TOF is generated through spallation of 20 GeV/c protons from the CERN Proton Synchroton (CPS) impinging on a thick lead target. Each proton bunch contains, on average, $7 \cdot 10^{12}$ protons with a time distribution of σ=7 ns and an average repetition rate of 0.17 Hz. The spallation neutrons, with energies in the MeV-GeV range, are partially moderated in the water cooling and moderation layers around the lead target and travel towards the experimental areas along two beam lines: EAR1 [6] at 185 m (horizontal) and EAR2 [7] at 19 m (vertical). The measurement presented in this work was performed in EAR1, featuring a better time resolution and consequently a better capability to resolve resonances up to higher neutron energies than in EAR2.

Neutrons coming from the spallation target, travel 185 m in vacuum along the beam line until they reach the ^{242}Pu sample, with a diameter (45 mm) larger than the beam. The sample consisted on 95 mg of more than 99% pure ^{242}Pu electrodeposited on a series of seven thin backings and was prepared within the CHANDA project [10] by the University of Mainz and the HZDR research center.

An array of four Total Energy detectors (*BICRON* deuterized benzene (C_6D_6) scintillators [8]) was used in this measurement. These detectors have been chosen for this measurement mainly because they suffer significantly less from the so-called γ-flash than the n_TOF TAC [9], thus allowing us to measure up to the required neutron energy, and a much lower neutron sensitivity than the latter. More details on the experimental setup, sample preparation and data acquisition system are given in Ref. [3].

⋆e-mail: jlerendegui@us.es

3 Data reduction

A detailed explanation of the data reduction process is out of the scope of this paper and in the following we just highlight the main steps of the analysis. First, the initially measured quantities are counting rates as a function of time-of-flight (ToF). In order to reconstruct the neutron energy E_n the following non-relativistic **time-to-energy** relation is used $E_n(eV) = (72.29\frac{L_0+\lambda(E_n)(m)}{ToF(\mu s)})^2$, where L_0 is the flight path from the target exit to the experimental area and $\lambda(E_n)$ is an energy-dependent equivalent moderation lenght in the target-moderator assembly that takes into account for the non-univocal relation between production time and neutron energy, the so-called **Resolution Function**, obtained from the simulations of the n_TOF spallation target [11].

Neutron capture measurements with C_6D_6 detectors are analyzed following the **Total Energy Detection Technique** (TED) [12, 13]. This technique is based on detecting just one γ-ray per cascade with an efficiency (ε_i) proportional to its energy (E_i), so that the overall efficiency for a capture cascade is, assuming (E_i) sufficiently small, $\varepsilon_c \propto \sum_i E_i \propto E_c$, proportional to total cascade energy and independent of the actual cascade path. Since C_6D_6 detectors do not fulfill $\varepsilon_i \propto E_i$, using the *Pulse Height Weighting Technique* (PHWT) each count is weighted with an energy (pulse height) factor so that this condition is fulfilled. This technique requires a good knowledge of the detector response to γ-rays in the energy range typical of capture cascades, i.e. up to 10 MeV. Monte Carlo simulations, performed in this work using the *Geant4* toolkit [14], are the best solution. More details on the TED, the implementation of the PHWT and the MC simulations developed for this purpose are given in Ref. [3].

The total weighted counts include also several **background** components, that must be substracted. These are determined with the help of several ancilliary measurements, shown in Figure 1: the **dummy** sample is a replica of the ^{242}Pu assembly without ^{242}Pu deposits inside and is causing the main neutron related background component. In addition, we also have to consider the **beam-off** background with and without the ^{242}Pu targets in place. Last, the scattering in the target of **in-beam γ-rays**, produced along with neutrons in the spallation target, also contribute to the background, especially for targets with a high atomic number. The latter is estimated with help of a Pb target, featuring a high atomic number and a negligible capture cross section. The counting rate measured with the lead sample in place is scaled to the ^{242}Pu sample according to the result of Geant4 simulations aimed at studying the background induced by in-beam γ-rays scattered in both, Pb and Pu, targets.

Last, to extract the neutron **capture yield**, $Y_{exp}(E_n) = \frac{f_c}{f_{SRM}} \cdot \frac{C_w(E_n)-B_w(E_n)}{\Phi(E_n)\cdot(S_n+E_n)}$, the background-substracted counting rate $C_w - B_w$ is divided by the measured neutron flux Φ of n_TOF-EAR1 [15]; and the efficiency which, by construction of the TED, is given by $\varepsilon = S_n + E_n$. Two extra correction factors are applied: f_c is a factor that corrects for the counts lost below the amplitude threshold, the multiple detection of photons and the presence of conversion


Figure 1. (Top) Measured counting rates per pulse as a function of the neutron energy: Total counts and background components. (Bottom) SAMMY fit of the Au saturated resonance to extract the normalization factor f_{SRM}.

electrons; and f_{SRM} is the **absolute normalization** factor obtained through the *Saturated Resonance Method* applied to the first resonance of ^{197}Au, shown in Figure 1 (right pannel).

4 Preliminary resonance analysis (up to 2.4 keV)

Once the normalized capture yield is obtained, the resonance analysis has been completed using the SAMMY code [16], which allows fitting experimental ToF data to analytical cross sections generated using the Reich-Moore approximation to the R-matrix theory, and takes into account experimental effects such as the Doppler broadening, the Resolution Function and the small residual background. In our preliminary analysis, we have identified 126 s-wave resonances between 1 eV and 2.4 keV. Figure 2 shows two different energy ranges of the n_TOF capture yield fitted with SAMMY compared to the ENDF-VII [17] and JEFF-3.2 [18] cross sections. In this figure one can appreciate the accumulated counting statistics and the good energy resolution in our data below 1 keV, which allows extracting individual resonance parameters with high accuracy. In addition, some resonances present in the evaluations can be rejected according to our data, illustrating that the input of these evaluations may contain resonances of other isotopes. Last, many new resonances will be added to the evaluations, especially in the high energy limit of the Resolved Resonance Region, which has been extended beyond the current limit in JEFF-3.2 and

up to 2.4 keV. This is illustrated in the right panel of Figure 2. The statistical analysis of the individual resonance parameters leads to preliminary average resonance parameters. The average level spacing is $D_0 = 14.8 \pm 0.7 \, eV$, which is in good agreement with the value of 15.3 eV provided by JEFF-3.2, smaller than the 16.8 eV sugessted by Reich et al. [19] and 10% larger than the value given by Mughabghab (ENDF-VII.1) and RIPL [20]. The extracted value for the average radiative width $\langle \Gamma_\gamma \rangle = 24 \pm 3 \, meV$ is in agreement with all the values in the literature. Finally, the neutron strenght function $S_0 = (0.89 \pm 0.12) \cdot 10^{-4}$ follows the value suggested by Reich et al, which pointed out that the evaluations could be overestimating this parameter by 10%.

Figure 2. Top: capture yield fitted with SAMMY around 300 eV compared to the current evaluations, showing the good level of statistics and energy resolution, and one example of a missing resonance. Bottom: some new resonances are found below 1.3 keV and the RRR is extended above this current energy limit and up to 2.4 keV.

5 Outlook and complementary measurements

The ToF measurement has successfully taken place at n_TOF-EAR1 using 95 mg of 99% pure ^{242}Pu electrodeposited on 7 thin aluminum backings. Preliminary results of the capture yield, resonance analysis and average resonance parameters up to 2.4 keV have been presented. The analysis of the URR, where the background dominates over the capture signals, is ongoing. The ToF measurement will be complemented soon with a thermal capture cross section measurement at the Budapest Research Reactor (KFKI) [21] combining Activation and Prompt Gamma Analysis. The cross section in the URR region

that will be obtained from the n_TOF data will be complemented with a measurement of the Maxwellian Averaged Cross Section (MACS) at 30keV using the new neutron line HISPANOS-CNA [22] in Sevilla by means of the activation technique.

References

[1] N. Colonna et al, Energy Environ. Sci. **3**, 1910-1917 (2010)

[2] *International Atomic Energy Agency, Status and advances in Mox fuel technology* IAEA Technical Reports Series **415** (2003)

[3] J. Lerendegui-Marco et al., EPJ Web of Conferences **111**, 02005 (2016)

[4] *NEA High Request Priority List* http://www.nea.fr/dbdata/hprl/

[5] C. Guerrero, E. Mendoza et al., CERN-INTC-2013-027 (INTC-P-387) (2013)

[6] C. Guerrero et al., Eur. Phys. J. A **49**, 27(2013)

[7] C. Weiss et al., Nucl. Instrum. and Meth. A **799**, 90–98 (2015)

[8] R.Plag et al., Nucl. Instrum. and Meth. A **496**, 425–436 (2003)

[9] C. Guerrero et al., Nucl. Instrum. Methods A **608**, 424 (2009)

[10] *CHANDA:solving CHAllenges in Nuclear DAta*. Project funded by FP7-EURATOM-FISSION, EC

[11] S. Lo Meo et al., Eur. Phys. J. A **51**, 160 (2015)

[12] R.L. Macklin, J.H. Gibbons, Phys. Rev. **159**, 1007 (1967)

[13] U. Abbondanno et al., Nucl. Instrum. and Meth. A **521**, 454–467 (2004)

[14] S. Agostinelli et al., Nucl. Instrum. Methods A **506**, 250 (2003)

[15] M. Barbagallo et al., (The n_TOF Collaboration), EPJ A **49**, 156 (2013)

[16] N. M. Larson, ORNL/TM-9179/R8, ORNL, Oak Ridge, TN, USA (2008)

[17] M.B. Chadwick et al.*ENDF/B-VII.1*, Nucl. Data Sheets **112**, 2887 (2011)

[18] *The JEFF-3.1.1 Nuclear Data Library*, JEFF Report **22**, OECD/NEA Data Bank (2009)

[19] Reich et al., Nucl. Sci. Eng. **162**, 178-191 (2009)

[20] R. Capote et al., Nucl. Data Sheets **110**, Issue 12, 3107-3214 (2009)

[21] T. Belgya, Physics Procedia,**31**, 99-109 (2012)

[22] J. Praena et al., Nucl. Instrum. Meth. A,**727**, 1-6 (2013)